


NOZZLE SCHEDULE										
ITEM	SIZE	RATING	TYPE	MATL	PROJ. IN	PROJ. OUT	REMARKS	NOTES		
А	2"	N.P.T.	W.F.	C.S.	STD.	STD.	-	-		
В	3"	N.P.T.	CPL.	C.S.	STD.	STD.	•	EMERGENCY VENT OPENING		
С	2"	N.P.T.	W.F.	C.S.	STD.	STD.	-	-		



PLAN VIEW

NOTES:

- A. Material: H.R. Carbon Steel.
- B. Design Pressure: Atmospheric.
- C. Design Temperature: Ambient.
- D. Built & labeled per U.L. spec. #142.
- E. Exterior: One coat gray primer. See sales order for top coat.
- F. All fittings to be protected for shipment.
- G. Customer to verify nozzle sizes, locations and quantities.

APPROVAL FOR CONSTRUCTION SCHEDULE A - MASTER TERMS &	SALES ORDER:-	WEIGHT (LBS): 420			
CONDITION OF SALE* APPROVED AS DRAWN.	Newberry Tanks	All units inches unless stated otherwise			
APPROVED WITH NOTED CHANGES, CONSTRUCTION WILL BE SCHEDULED WHEN SIGNED DRAWING AND	New Thinking Phone: 870-735-4473				
CONFIRMED ORDER ARE RECEIVED.	DESCRIPTION:				
SIGNATURE: DATE:	300 Gallon 38" I.D. x 5'-0" Shell Height Single Wall Vertical Tank				
	CUSTOMER:	P.O.#			
*All pages of this Schedule A are incorporated by reference and are a part of the additional terms of the Master Terms & Conditions of Sale. www.newberrytanks.com/masterterms.pdf	DATE: SCALE: DWG.# NB00300SWV03812G	DRAWN BY: AJC			

205 North Walker West Memphis, AR. 72301 870-735-4473 www.newberrytanks.com

Newberry Tanks & Equipment, LLC